

CERTIFICATE OF ANALYSIS

** FOR QUALITY ASSURANCES PURPOSES ONLY.*

PRODUCED: JUL 27, 2026

SAMPLE: O.P.M.S. GOLD 5CT (EDIBLE SOLID) // **CLIENT:** CHOICE ORGANICS // **BATCH:** PASS



BATCH NO.: 6191
MATRIX: EDIBLE SOLID
CATEGORY: INFUSED EDIBLE
SAMPLE ID: CL-240726-030
COLLECTED ON: JUL 24, 2026
RECEIVED ON: JUL 24, 2026
BATCH/SAMPLE SIZE: 10 UNITS / 10 UNITS
RECEIVED BY: DAELON GEORGE
SERVING/PACKAGE SIZE: 0.6 G / 3.0 G

ALKALOID OVERVIEW

MITRAGYNINE:	91.608 mg/srv
7-OH-MITRAGYNINE:	0 mg/srv
TOTAL ALKALOIDS:	139.914 mg/srv

BATCH RESULT: PASS

ALKALOIDS	TESTED
METALS	TESTED
MICROBIAL	TESTED



PER ISO 17025, THIS REPORT ONLY CONTAINS AND CONCERNS THE SAMPLES LISTED WITHIN THIS DOCUMENT. SAMPLES WERE SAMPLED AND TESTED IN ACCORDANCE WITH THE SAFETY COMPLIANCE FACILITY SAMPLING AND TESTING INFORMATION PROVIDED BY THE STATE OF MICHIGAN.

RESULTS CERTIFIED BY: JALEN WILLIAMS
LAB MANAGER, SC LABS
JUL 27, 2026

KRATOM POTENCY // JUL 27, 2026

ANALYTE	LOD/LOQ (ppm)	AMT (%)	PASS/FAIL
MITRAGYNINE *	2.7900000/8.4500000	15.268	N/A
PAYNANTHEINE *	2.6300000/7.9800000	3.424	N/A
SPECIOGYNINE *	2.6500000/8.0400000	2.082	N/A
MITRAPHYLLINE *	3.2700000/9.9100000	ND	N/A
MITRACILIATINE *	2.6700000/8.1000000	ND	N/A
CORYNANTHEIDINE *	2.6500000/8.0400000	0.658	N/A
ISOPAYNANTHEINE *	2.5500000/7.7300000	ND	N/A

* BEYOND SCOPE OF ACCREDITATION

CL-07: TOTAL YEAST & MOLD // JUL 27, 2026

ANALYTE	LOD/LOQ (CFU/g)	LIMIT	AMT (CFU/g)	PASS/FAIL
YEAST & MOLD *			0	N/A

* BEYOND SCOPE OF ACCREDITATION

CL-07: COLIFORMS // JUL 27, 2026

ANALYTE	LOD/LOQ (CFU/g)	LIMIT	AMT (CFU/g)	PASS/FAIL
COLIFORMS *			0	N/A

* BEYOND SCOPE OF ACCREDITATION

CL-07: E. COLI AND SALMONELLA BY QPCR // JUL 27, 2026

ANALYTE	LOD/LOQ	LIMIT	AMT (CFU/g)	PASS/FAIL
SALMONELLA SPP. *			ND	N/A

* BEYOND SCOPE OF ACCREDITATION

CL-07: ASPERGILLUS BY QPCR // JUL 27, 2026

ANALYTE	LOD/LOQ	LIMIT	AMT (CFU/g)	PASS/FAIL
ASPERGILLUS SPP. *			ND	N/A
ASPERGILLUS NIGER *			ND	N/A
ASPERGILLUS FLAVUS *			ND	N/A

* BEYOND SCOPE OF ACCREDITATION

CL-06: HEAVY METAL ANALYSIS BY ICP-MS // JUL 27, 2026

ANALYTE	LOD/LOQ (ppm)	LIMIT	AMT (ppm)	PASS/FAIL
LEAD *	0.0020000/0.0050000		ND	N/A
COPPER *	0.1380000/0.2960000		< LOQ	N/A
NICKEL *	0.0680000/0.1960000		ND	N/A
ARSENIC *	0.0060000/0.0160000		ND	N/A

* BEYOND SCOPE OF ACCREDITATION

ANALYTE	LOD/LOQ (ppm)	AMT (%)	PASS/FAIL
SPECIOCILIATINE *	2.6000000/7.8800000	1.887	N/A
7-OH-MITRAGYNINE *	3.1800000/9.6500000	ND	N/A
MITRAGYNINE	2.9100000/8.8200000	ND	N/A
PSEUDOINDOXYL *			
MITRAGYNINE/SRV *		91.608 mg	N/A
7-OH-MITRAGYNINE/SRV *		ND	N/A
MITRAGYNINE/PKG *		458.040 mg	N/A
7-OH-MITRAGYNINE/PKG *		ND	N/A

ANALYTE	LOD/LOQ	LIMIT	AMT (CFU/g)	PASS/FAIL
SHIGA TOXIN-PRODUCING E. COLI *			ND	N/A

ANALYTE	LOD/LOQ	LIMIT	AMT (CFU/g)	PASS/FAIL
ASPERGILLUS TERREUS *			ND	N/A
ASPERGILLUS FUMIGATUS *			ND	N/A

ANALYTE	LOD/LOQ (ppm)	LIMIT	AMT (ppm)	PASS/FAIL
CADMIUM *	0.0020000/0.0060000		ND	N/A
MERCURY *	0.0269000/0.0600000		ND	N/A
CHROMIUM *	0.0940000/0.2800000		ND	N/A

* FOR QUALITY ASSURANCES PURPOSES ONLY.

